

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 231 577 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
14.08.2002 Bulletin 2002/33

(51) Int Cl.7: **G07F 17/32**(21) Application number: **01402888.0**(22) Date of filing: **09.11.2001**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Giobbi, John J.**
Northbrook, Illinois 60062 (US)

(74) Representative: **Loisel, Bertrand**
Cabinet Plasseraud,
84, rue d'Amsterdam
75440 Paris Cédex 09 (FR)


(30) Priority: **07.02.2001 US 778351**

(71) Applicant: **WMS Gaming Inc**
Waukegan, Illinois 60085 (US)

(54) **Centralized gaming system with modifiable remote display terminals**

(57) A centralized gaming system comprises a central server system and a plurality of display terminals remote from and linked to the central server system. The central server system includes a master game server, a game execution server, and a database server. The master game server stores a plurality of games of chance. Each game includes respective game play software and respective audiovisual software. In response to one of the games being selected for play at one of the display terminals, the game play software for the selected game is loaded from the master game server into the

game execution server and is executed by the game execution server to randomly select an outcome. The audiovisual software for the selected game is selectively executed at the display terminal to visually represent the outcome on a display of the display terminal. The database server collects game activity data based on the outcome and maintains such data for report generation and player tracking purposes. The master game server may evaluate the collected game activity data and, in turn, modify one or more of the display terminals for maximizing earnings and target marketing.

**FIG. 1****EP 1 231 577 A2**

Description

FIELD OF THE INVENTION

[0001] The present invention relates generally to gaming systems and, more particularly, to a centralized gaming system with modifiable remote display terminals.

BACKGROUND OF THE INVENTION

[0002] Heretofore, gaming systems have generally been decentralized despite the presence of a central server. In such systems, the central server is linked to a plurality of gaming machines. In response to a wager, the gaming machines execute game software to randomly select an outcome and awarding an appropriate payout based on the outcome. The game software resides in memory located within the gaming machines. Accounting meters and a random number generator may reside in either the machines or the central server. The above-described arrangement suffers from numerous drawbacks.

[0003] First, if a gaming machine malfunctions and/or suffers an unplanned power loss, game activity data at the time of power loss can be difficult to precisely track. Untracked data may void a payout for a valid outcome that occurred just prior to the loss of power. Also, because the game software resides in the gaming machine, the gaming machine must be re-booted and must initialize the game software when brought back online.

[0004] Second, because live and historical outcome data are stored in the gaming machine, it can be difficult to generate reports concerning the activity of each gaming machine. Such data must be individually downloaded from each gaming machine. To generate a comprehensive report of all gaming machines, the downloaded data must then be combined.

[0005] Third, techniques for modifying or replacing the game software in the gaming machines are generally inconvenient, time-consuming, and expensive. In one technique, the entire machine is disconnected from the central server and replaced with a new machine. This involves the shipment of machines to and from a gaming establishment and requires the services of an appreciable number of skilled and semi-skilled service personnel. The service personnel must identify the machines to be replaced, locate the machines on the gaming establishment floor, and then replace the existing machines with the new machines. In another technique, the memory chip(s) containing the software is replaced with new software. Once again, the service personnel must identify the machines to receive the new memory chip(s), locate the machines on the gaming establishment floor, and then replace the existing memory chip(s) with the new memory chip(s). Also, any game-specific elements (e.g., artwork, button labels, etc.) must be replaced so that the machine is tailored to the new soft-

ware. In yet another technique, the new software can be downloaded to the gaming machine from either the central server or a personal computer temporarily linked to the gaming machine. This downloading technique facilitates modifications to the game software in that it does not require removal of the gaming machine and does not require service personnel to visit the gaming machine site or the gaming machine itself. Nonetheless, the procedure for downloading the new game software to the gaming machine across a communications link can be time-consuming and subject to security concerns. The machine is generally out of service and therefore not generating any revenues during the time at which the new software is being downloaded. Also, regulated gaming jurisdictions may be reluctant to permit new software to be downloaded to the gaming machine without some assurance that the downloaded software complies with local regulations. Therefore, the downloaded software may need to be verified and authenticated.

[0006] Fourth, decentralized gaming systems typically limit the games available for play on each gaming machine. Because different casino players are attracted to different types of games of chance, a player may find it difficult to locate a gaming machine configured to play his/her preferred game. Heretofore, the player generally has had to walk around and search the casino floor for the preferred gaming machine. If the player is part of a group and different members of the group wish to play different games, the members of the group have had to split up to play their preferred games.

[0007] Although more centralized gaming systems have heretofore been proposed, such proposed systems have merely included a central game bank containing multiple gaming machines playable with handheld units plugged into "plug and play pods" remote from the central game bank. If one of the gaming machines in the central game bank is being used by one of the remote handheld units, the system does not allow that gaming machine to be selected by another of the remote handheld units for play at the same time. Thus, the central game bank is not a true multi-user game server, but rather provides a limited one-on-one system where each gaming machine in the central game bank can only be used by one of the remote handheld units at a time

[0008] A need therefore exists for a centralized gaming system that overcomes one or more of the aforementioned shortcomings associated with existing gaming systems

SUMMARY OF THE INVENTION

[0009] In accordance with the present invention, a centralized gaming system comprises a central server system and a plurality of display terminals remote from and linked to the central server system. The central server system includes a master game server, a game execution server, and a database server. The master

game server stores a plurality of games of chance. Each game includes respective game play software and respective audiovisual software. In response to one of the games being selected for play at one of the display terminals, the game play software for the selected game is loaded from the master game server into the game execution server and is executed by the game execution server to randomly select an outcome. The audiovisual software for the selected game is selectively executed at the display terminal to visually represent the outcome on a display of the display terminal. The database server collects game activity data based on the outcome and maintains such data for report generation and player tracking purposes. The master game server may evaluate the collected game activity data and, in turn, modify one or more of the display terminals for maximizing earnings and target marketing.

BRIEF DESCRIPTION OF THE DRAWINGS

[0010] The foregoing and other advantages of the invention will become apparent upon reading the following detailed description and upon reference to the drawings.

FIG. 1 is a block diagram of a centralized gaming system embodying the present invention.

FIG. 2 is a block diagram of a game available for play on the centralized gaming system.

FIG. 3 is an isometric view of a smart card terminal employed in the centralized gaming system.

FIG. 4 is an isometric view of a remote display terminal employed in the centralized gaming system.

FIG. 5 is a side view of the remote display terminal.

FIG. 6 is a flow diagram of a method of configuring remote display terminals in the centralized gaming system to maximize earnings.

[0011] While the invention is susceptible to various modifications and alternative forms, specific embodiments have been shown by way of example in the drawings and will be described in detail herein. It should be understood, however, that the invention is not intended to be limited to the particular forms disclosed. Rather, the invention is to cover all modifications, equivalents, and alternatives falling within the spirit and scope of the invention as defined by the appended claims.

DESCRIPTION OF ILLUSTRATIVE EMBODIMENTS

[0012] Turning now to the drawings and referring initially to FIG. 1, there is depicted a centralized gaming system comprising a central server system 10 and a plurality of remote display terminals 12_{a,b,c,...,n}. The remote display terminals are identified hereafter by the reference numeral 12, whether referring to one terminal or multiple terminals. The central server system 10 includes a master game server 14, a multi-user game execution server or play engine 16, and database server

18. The servers 14, 16, and 18 may be physically housed in separate boxes externally linked to each other by transmission lines or wireless technology, or may be physically housed in a common box and internally linked by wires and/or computer bus architecture, or may run on the same hardware.

[0013] The plurality of remote display terminals 12 are linked to each other and the central server system 10 by a high-speed local or wide area network using a data transfer protocol such as 100Base-T Ethernet or Gigabit Ethernet, which support data transfer rates of 100 megabits per second and 1 gigabit per second, respectively. Alternatively, the remote display terminals 12 and the central server system 10 may each be outfitted with transceivers that support two-way wireless communication. Each remote display terminal 12 is assigned a respective permanent identification number (PIN) for identifying the terminal 12 to the central server system 10 and allowing the central server system 10 to address the terminal 12.

[0014] The master game server 14 stores master copies of all games of chance available for play on the remote display terminals 12. The games of chance may, for example, include slots, poker, blackjack, keno, and bingo. The games are preferably stored in nonvolatile, read-only memory such as a hard drive, CD, DVD, etc.

[0015] As best shown in FIG. 2, each game of chance 20 may be defined as including two components: executable audiovisual software 20a and executable game play software 20b. The audiovisual software 20a includes all audiovisual routines of the game 20 and all game-related I/O functions except for peripheral I/O functions that are not game specific. The audiovisual routines selectively play audio and visual resources to manage the content of visual images displayed by a remote display terminal 12 on which the routines are executed and the content of sounds emitted from speakers of the terminal 12. The game play software 20b, which includes underlying game play routines involving math tables, a random number generator, metering, auditing, etc., manages the game play execution for the game 20. The outcome randomly selected by the game 20 is stored in the database server 18. Referring back to FIG. 1, in response to a player's request at one of the remote display terminals 12 to play a game, the master game server 14 downloads the audiovisual software 20a for that game to the requesting terminal 12 and loads the game play software 20b for that game into the game execution server 16.

[0016] The game execution server 16 contains the game play software of all games currently selected for play (i.e., games in session) at the remote display terminals 12. As stated above, the game play software is loaded from the master game server 14 into the game execution server 18. If the same game is selected for play at more than one of the remote display terminals 12 at the same time, the game play software utilizes true multi-user procedures so that only one copy of the game

play software for that game need be loaded into the game execution server 16.

[0017] The database server 18 stores any data to be maintained and used to generate reports. Such data may, for example, include live and historical game activity data and accumulated accounting meters. The game activity data includes the outcomes randomly selected by the games played on each terminal 12. The accounting meters store credits in, credits out, credits played, credits won, etc. for each of the remote display terminals 12. The data residing in the database server 18 may be marked with the PIN of the terminal 12 that generated the data. The database server 18 may, in turn, include an open interface for player tracking or generating audit reports. The audit reports may be organized by record type, terminal PINs, game name, game type (slots, poker, keno, bingo, etc.), or some other criteria.

[0018] The multi-game remote display terminal 12 allows a player at the terminal 12 to play any of the games of chance stored in the master game server 14. For example, if the master game server 14 contains eighty-seven slot games, ten poker games, one blackjack game, one keno game, and one bingo game, any of these one hundred games may be played at each remote display terminal 12 even if the same game is already being played at another one of the remote display terminals 12. Because the central system 10 is a true "server" of game software utilizing multi-user procedures, the same game or different games can be simultaneously played on different ones of the remote gaming terminals 12. Each time a game is selected for play on one of the remote display terminals 12, the game play software for the selected game is loaded from the master game server 14 into the game execution server 16 and run on the game execution server 16. If the same game is selected for play on multiple terminals 12 at the same time, the game play software for the selected game is merely loaded into the game execution server 16 the first time the game is selected. The game play software utilizes multi-user procedures to accommodate players at different terminals 12 who wish to play the same game at the same time. In an alternative embodiment in which the game play software does not utilize multi-user procedures, the game play software for the selected game is loaded into and run on the game execution server 16 each time the game is selected such that multiple copies of the game play software for the same game are simultaneously running on the game execution server 16.

[0019] The remote display terminal 12 includes a central processing unit (CPU) 22 and memory structure 24. The CPU 22 includes the terminal's operating system, which is responsible for managing general peripheral I/O functions such as bill validators, coin mechanisms, printers, hoppers, etc. The memory structure 24 preferably includes a primary storage unit 24a and a secondary storage buffer 24b. The primary storage unit 24a

may be battery-backed random access memory. The secondary storage buffer 24b may be a hard drive or disc storage used only for buffering/caching. The secondary storage buffer 24b contains the audiovisual software 20a (see FIG. 2) for the last N number of games selected for play at the associated terminal 12, where N depends upon storage capacity. For example, the storage buffer 24b may contain the audiovisual software for the last ten games selected for play at the associated terminal 12. Alternatively, the storage buffer 24b may contain sufficient storage capacity to contain the audiovisual software of all the games stored in the master game server 14.

[0020] After a player at a remote display terminal 12 has redeemed any credits remaining on terminal 12 and the terminal 12 has remained idle for a predetermined period of time ranging from a few seconds to a few minutes, the remote display terminal 12 may be configured to notify prospective players as to the games available for play on the remote display terminal 12. Toward that end, the remote display terminal 12 displays a game selection menu with a plurality of game selection indicia. If the remote display terminal 12 has not remained idle for the predetermined period of time, instead of the game selection menu the terminal 12 may display the primary screen of the last game played on the terminal 12.

[0021] To play one of the games available for play on the remote display terminal 12, a new player selects one of the game selection indicia on the game selection menu. If the video display of the remote display terminal 12 is outfitted with a touch screen, the player makes this selection by touching the video display at the location of the game selection indicia for the game the player wishes to play. Alternatively or in addition, the remote display terminal 12 may include physical lighted push-buttons or other means for selecting the game selection indicia. The push-buttons are arranged relative to the game selection indicia in such a way that visually associates the push-buttons with respective ones of the game selection indicia.

[0022] In response to selecting one of the game selection indicia, the remote display terminal 12 sends a message to the master game server 14 identifying the sending terminal's PIN and the selected game (including the version of any audiovisual software residing in the secondary storage buffer 24b). If the audiovisual software for the selected game is buffered in the secondary storage buffer 24b and the master game server 14 verifies that the buffered version matches the version stored in the master game server 14, the master game server 14 loads the game play software for the selected game into the game execution server 16 and directs the remote display terminal 12 to load the buffered audiovisual software from the secondary storage buffer 24b into the primary storage unit 24a.

[0023] If the correct version of the audiovisual software is not buffered in the secondary storage buffer 24b, the master game server 14 may immediately update any

buffered version with the correct version by downloading the correct version of the audiovisual software to the secondary storage buffer 24b of the appropriate remote display terminal 12. Alternatively, the master game server 14 may direct the remote display terminal 12 to inform the player that the selected game is temporarily unavailable and implement the update process according to a predefined schedule. The schedule may call for updates on all or groups of the remote display terminals 12 at predetermined times, such as during off-peak hours.

[0024] With the game play software loaded into the game execution server 16 and the buffered audiovisual software loaded into the primary storage unit 24a, the game execution server 16 proceeds to execute the game play software for the selected game. Initially, the game execution server 16 directs the operating system of the remote display terminal 12 to execute an audiovisual routine that will display the main screen of the selected game. If, for example, the selected game includes a multi-line, five-reel video slot game, the main screen may include five symbol-bearing reels, game session meters, and various on-screen "soft" buttons for placing wagers, cashing out, obtaining help, and initiating play. The game session meters vary from game to game but with respect to slots, for example, may include credits, line bet, total bet, and paid.

[0025] Next, the player places a wager at the remote display terminal 12. To be able to place a wager, the player must add credits to the "credits" meter for the remote display terminal 12 on which the player wishes to play. Toward that end, the centralized gaming system preferably promotes wagering without cash, i.e., cashless gaming, to minimize the need for service personnel to visit the remote display terminals 12. To realize wagering without cash, smart card terminals 26 of the type illustrated in FIG. 3 are interspersed throughout the gaming establishment. Alternatively, cashless gaming may be accomplished by other means such as tickets/coupons, magnetic cards, or the like.

[0026] Referring briefly to FIG. 3, the smart card terminal 26 includes a smart card reader/dispenser 28, a cash acceptor 30, and a cash dispenser 32. To obtain a smart card prior to playing at one of the remote display terminals 12, the player deposits cash (bills) into the cash acceptor 30. After the desired amount of cash has been deposited, the player presses a vend card button 34 to cause the terminal 26 to dispense a smart card from the smart card dispenser 28. The smart card is embedded with a microcontroller having a memory storing funds corresponding to the amount of cash deposited into the smart card terminal 26. The use of smart cards for cashless gaming is advantageous over other cashless media, such as credit cards, because smart cards generally heighten a player's awareness of funds spent.

[0027] In an alternative embodiment, the smart card not only serves as a funds handling card but also serves as a player tracking card. To be able to track the player, the smart card terminal may include a player interface,

such as a keyboard and/or a touch screen, that allows the player to enter player tracking information. The player tracking information may be limited to personal identification information or may include additional details such as play data as disclosed in U.S. Patent No. 5,179,517 to Sarbin et al. and player preference data as disclosed in U.S. Patent No. 6,110,041 to Walker et al. Instead of vending new smart cards at the smart card terminal 26, the gaming system may require the player to obtain a new smart card directly from a registration authority in the gaming establishment, which acquires the player tracking information prior to tendering the smart card. The player tracking information is preferably stored in a personal record residing in the database server 18 in FIG. 1 or a separate player tracking database coupled to the open interface of the database server 18. The smart card stores a personal identifier for addressing and accessing this personal record. If the smart card terminal 26 only accepts smart cards but does not vend new cards, then the player inserts his or her smart card (obtained from the registration authority) into the smart card reader 28 prior to depositing cash into the cash acceptor 30.

[0028] Referring back to FIG. 1, to place a wager at the remote display terminal 12, the player inserts his or her smart card into a card reader (see FIG. 4) of the remote display terminal 12. The remote display terminal 12, in turn, sends a message to the game execution server 16 identifying the sending terminal's PIN, the personal identifier on the smart card, and the amount of funds on the smart card. The personal identifier is used to address and access the player's personal record in the player tracking database and thereby implement player tracking functions in a manner heretofore known in the art. The game execution server 16 updates its game session meters based on the amount of funds on the smart card, and then directs the operating system of the remote display terminal 12 to correspondingly update the terminal's on-screen game session meters. The actual funds may still reside on the smart card, which is locked in the terminal's card reader, but the amount of funds is visually represented on the main screen so the player is aware of the amount of funds on the card and available for game play. Alternatively, the funds may actually be electronically transferred from the smart card to the game execution server 16.

[0029] Next, the player enters a wager amount via the touch screen or push-buttons on the remote display terminal 12. If the selected game includes a multi-line, five-reel video slot game, the player's wager includes the number of pay lines to play and the wager amount per pay line. The remote display terminal 12 displays the number of pay lines played on the terminal's on-screen "lines" meter, the wager amount per pay line on the "bet per line" meter, and the total wager amount on the "total bet" meter.

[0030] To spin the reels simulated on the video display, the player presses a "play" or "spin reels" button

on the remote display terminal 12. The remote display terminal 12, in turn, sends a message to the game execution server 16 identifying the terminal's PIN, the number of pay lines played, the wager amount per pay line, and the instruction to play. The game execution server 16 updates its game session meters and then directs the operating system of the remote display terminal 12 to correspondingly update the terminal's on-screen game session meters. Using a random number generator (RNG) in the game play software, the game execution server 16 randomly selects an outcome for the selected game. The outcome may, for example, be represented by a particular set of reel stop positions and a payout for a symbol combination along each active pay line. The outcome is randomly selected from a plurality of possible outcomes. The payouts depend upon the probability of occurrence of the respective outcomes such that the lower the probability of occurrence of an outcome, the higher the payout awarded for that outcome. The payout may, of course, range from zero to a value much greater than zero. A pay table identifies the non-zero payouts and the outcomes corresponding to those payouts and may be accessed by pressing a "pay table" button on the remote display terminal 12.

[0031] After randomly selecting an outcome, the game execution server 16 updates its game session meters based on the payout for that outcome. To report the outcome to the player, the game execution server 16 sends a message to the remote display terminal 12 identifying the outcome. Based on the outcome, the remote display terminal 12 executes audiovisual routines that will display a simulation of spinning reels, stop the reels at the stop positions corresponding to the selected outcome, and update the values in the terminal's on-screen game session meters to correspond to the server's game session meters.

[0032] The above-described process for executing a game selected for play on the remote display terminal 12 is repeated until the player wishes to stop playing the game and "cash out" any credits remaining on the "credits" meter. To cash out, the player presses a "collect" button on the remote display terminal 12. The remote display terminal 12, in turn, sends a message to the game execution server 16 identifying the sending terminal's PIN and the cash out instruction. The game execution server 16 responds by updating its game session meters, modifying the amount of funds on the card to correspond to the "credits" meter, and instructing the terminal's card reader to unlock and dispense the smart card. The database server 18 updates its accumulated accounting meters based on the completed game session and may, from time to time, also update its accounting meters during a game session. If funds remain on the smart card, the player can insert the smart card into a smart card terminal 26 of the type depicted in FIG. 3 and collect the funds in the form of cash dispensed from the cash dispenser 32.

[0033] In one embodiment, the remote display terminal

12 only permit cashless gaming and therefore contain no bill validators, no coin mechanisms, and no hoppers. If the player uses up all the funds on the smart card, the smart card is automatically dispensed from the card reader so that the player can take the card to a smart card terminal 26 (see FIG. 3) and load additional funds onto the card. In an alternative embodiment, the remote display terminals 12 include bill and/or coin acceptors for the sole purpose of loading funds onto the card should the player use up the existing funds. With this arrangement, the player need not leave the remote display terminal 12 to reload. In yet another alternative embodiment, the bill and/or coin acceptors can additionally be employed to directly load funds onto the "credits" game session meter for the remote display terminal 12.

[0034] In addition to being linked to the remote display terminals 12, the central server system 10 is optionally linked by the local or wide area computer network to a progressive controller 33, a display controller 35, and/or a linked game controller 37. The progressive controller 33 establishes a common progressive jackpot based on wagers placed at the remote display terminals 12 and awards the jackpot to a player at one of the terminals 12 based on predetermined criteria such as a highly unlikely outcome triggered by that terminal 12. The display controller 35 may control various overhead video displays for displaying the amount of a progressive jackpot, displaying a shared bonus game or bonus amount triggered by one of the remote display terminals 12, reproducing the images appearing on one of the terminals 12 such as a terminal 12 in a bonus mode, attracting attention to the terminals 12 or a particular bank of the terminals 12, or just generally increasing the level of excitement in the gaming establishment. The display controller 35 may also selectively illuminate various overhead non-video signs such as neon signs.

[0035] The linked game controller 37 may be integrated into the game execution server 16 or may be a separate hardware component linked to the game execution server 16. The linked game controller 37 preferably allows individual terminals 12 or groups of terminals 12 to play a common game feature in which the terminals compete against each other or play together toward a common goal. If the terminals compete against each other, each terminal may be assigned a respective visual element such as a character, symbol, or the like. For example, if the visual elements are horses, race cars, or runners, the participating terminals may compete against each other in a race where movement of the visual elements along the race track is entirely random or based on subsequent wagers or outcomes on the participating terminals. If the terminals play together toward a common goal, achievement of that goal may generate a bonus shared by the participating terminals. The bonus may be distributed to the participating terminals in equal or unequal shares, depending upon the extent to which each terminal contributed toward the achievement of the common goal. The common game feature

may be depicted on a large central display and/or participating terminal displays under the control of the linked game controller 37.

[0036] Participation in the common game feature by a terminal 12 may be triggered by either the linked game controller 37 or the terminal 12. The linked game controller 37, for example, may trigger participation at random or predetermined times of day. The terminal 12 may trigger participation of that terminal in the common game feature in response to a special start-feature outcome generated by the game played via the terminal 12, or a player's election to participate in the common game feature. Also, one terminal's participation may cause one or more other terminals to also participate in the common game feature.

[0037] FIGS 4 and 5 illustrate one embodiment of the remote display terminal 12. In this embodiment, the remote display terminal 12 includes upper and lower displays 36 and 38. The upper display 36 is preferably a flat panel video display mounted to a vertical support 40 and selected from a group consisting of a liquid crystal display (LCD), plasma display, field emission display, digital micromirror display (DMD), dot matrix display, vacuum florescent display (VFD), etc. While the remote display terminal 12 is in an attract mode, the upper video display 36 may be used to depict billboard indicia for attracting attention to the terminal 12. While a player is playing a game at the terminal 12, the upper video display 36 may continue to display the billboard indicia, or may alternatively display special effects or secondary game play features.

[0038] The lower display 38 may be any of the aforementioned video displays, a CRT, or a plurality of mechanical slot reels viewable through a display window. If the lower display 38 is a video display, it is preferably outfitted with a touch screen. While a player is playing a game at the terminal 12, the lower display 38 displays primary game play features (e.g., slot reels, poker cards, keno board, bingo board, etc.) according to messages from the game execution server 16 identifying routines of the terminal's audiovisual software that should be executed (see FIG. 1).

[0039] The remote display terminal 12 includes a generally horizontal support 42 for housing the lower display 38, a smart card reader 44, and the electronics of the CPU 22 and memory structure 24 discussed in connection with FIG. 1. The horizontal support 42 is preferably hinged to the vertical support 40 such that it can be rotated upwardly as shown by an arrow in FIG. 5 to permit access the electronics within the horizontal support 42 via an access panel on a lower side of the support 42.

[0040] The remote display terminal 12 also includes a swivel seat 46 mounted to a horizontal seat support 48. The seat support 48 contains a footrest 50 beneath the horizontal support 42 and extends forwardly from the vertical support 40.

[0041] The present invention has several advantages. First, because the central server system 10 in FIG.

1 executes the game play software, malfunctions or unplanned power losses on the remote display terminals 12 generally do not affect game outcomes. The central server system 10 itself is redundantly protected from such problems. Further, game development is simplified.

[0042] Second, because historical data is centrally stored in the database server 18 in FIG. 1, the central server system 10 facilitates generation of reports concerning the activity of the remote display terminals 12. Using off-the-shelf database tools manufactured by such companies as Oracle Corporation, such reports can be easily generated and organized as desired.

[0043] Third, the present invention facilitates modification to the games available for play via the remote display terminals 12. Because games are centrally stored on the master game server 14, a game is easily changed by simply updating the software residing in the master game server 14. Modifications or updates do not require the entire software to be installed in each of the remote display terminals 12 in what would be a time-consuming process subject to elevated security concerns.

[0044] Fourth, due to the ease of modifying the games available for play via the remote display terminals 12, the remote display terminals 12 may be configured to maximize earnings using the method depicted in FIG. 6. More specifically, the remote display terminals 12 may be arranged in a plurality of banks (groups) coupled to the central server system (steps 100 and 102). The terminals 12 in the same bank may have a common characteristic, such as the type of game (slots, poker, bingo, keno, etc.), game theme, minimum wager for playing a game, volatility of a game, payback percentage, etc. Based on the historical data collected in the database server 18 (step 104), it may be determined that certain banks perform better, e.g., are played more frequently or earn more money, than other banks. This determination may be explained by market research and/or by evaluating the performance statistics of certain games when placed in different banks (step 106). Using a graphical user interface at the master game server, the master game server 14 may then be configured to modify the selection, content, and/or math of games available to each terminal 12 according to predetermined criteria, such as performance (e.g., frequency of play or money earnings), time, location of terminal, or various player or casino preferences (step 108). If, for example, it is determined that low volatility slot games with a low minimum wager (e.g., 5 cents) are most popular when available in Bank X near the front door of the gaming establishment between the hours of 6 pm and 11 pm, then the master game server 14 may be configured to modify the games available for play via the terminals 12 in Bank X to be low volatility slot games with a low minimum wager between 6 pm and 11 pm. The master game server 14 is preferably linked to a display for graphically presenting the programmed configuration to an operator and allowing the operator to easily

modify the configuration. Modifications can preferably be done not only on a bank-by-bank basis, but also a terminal-by-terminal basis. Thus, the earnings generated by the remote display terminals 12 can be maximized.

[0045] Fifth, the remote display terminals 12 may similarly be configured for target marketing. For example, terminals 12 near the front door may offer a new game to bring the game to the attention of prospective players and get players acquainted with the game.

[0046] Sixth, to facilitate a player's ability to play a variety of games on a remote display terminal 12 without having to search the casino floor for his or her preferred game, the terminal 12 may be configured to offer a large number of games. By buffering the audiovisual software but not the game play software for each game, the remote display terminal 12 may be constructed to have sufficient memory capacity to accommodate the large number of games. To the extent that the games on the remote display terminal 12 have a wide range of characteristics, the games may be arranged in a hierarchy of primary and secondary game selection menus to emphasize those games that will maximize earnings as discussed above.

[0047] Seventh, the remote display terminals 12 are reliable and require minimal maintenance because they have few parts that are easily repaired if a problem should occur.

[0048] While the present invention has been described with reference to one or more particular embodiments, those skilled in the art will recognize that many changes may be made thereto without departing from the spirit and scope of the present invention.

[0049] For example, the game of chance selected for play on a remote display terminal 12 may include multiple stages involving more interaction between the game and the player than just the initial wager. Video draw poker, for example, requires the player to select which cards to hold and which cards to discard after the initial deal. Likewise, many slot games include bonus features triggered by certain outcomes in the main slot game and requiring the player to select from multiple game playing elements. Such interactive games require multiple messages between the game execution server 16 and the remote display terminal 12 where the game execution server 16 may need to update its game session meters in mid-game, randomly select an outcome, and remotely request the operating system of the terminal 12 to change its display based on the outcome more than once during the game.

[0050] In addition, instead of buffering the audiovisual software in the secondary storage buffer 24b for each of the games available for play on a remote display terminal 12 and then loading the audiovisual software for a selected game from the secondary storage buffer 24b into the primary storage unit 24a, the audiovisual software for the selected game may be loaded into the primary storage unit 24a from the master game server 14

in response to a player's selection of that game. The secondary storage buffer 24b is therefore eliminated, but at the expense of a more time-consuming download from the master game server 14.

5 [0051] Further, instead of executing the game play software in the game execution server 16, the game play software may be downloaded from the master game server 14 to a requesting remote display terminal 12 and locally executed by the terminal 12. In other words, the
10 game execution server 16 in FIG. 1 can be eliminated, and the game play software can reside in and be executed locally by the terminal 12. Whether the game play software is executed remotely by the game execution server 16 in FIG. 1 or locally by the terminal 12, the terminal 12 already includes a central processing unit with
15 memory such that few additional components would be required for the terminal 12, and not the central game execution server 16, to locally execute game play software.

20 [0052] Each of these embodiments and obvious variations thereof is contemplated as falling within the spirit and scope of the claimed invention, which is set forth in the following claims.

Claims

1. A centralized gaming system, comprising:

30 a central server system storing a plurality of games of chance and including a play engine; and
a plurality of remote display terminals linked to the central server system, each remote display terminal including a display;
35

wherein in response to one of the games being selected for play at one of the remote display terminals, game play software for the selected game is loaded into and executed by the play engine to randomly select an outcome, and the outcome is visually represented on the display of the one of the remote display terminals.

40 2. The gaming system of claim 1, wherein each game includes audiovisual software, and wherein in response to one of the games being selected for play at one of the remote display terminals, the audiovisual software for the selected game is downloaded from the central server system to the one of the remote display terminals and is selectively executed at the one of the remote display terminals to visually represent the outcome on the display of the one of the remote display terminals.
50

55 3. The gaming system of claim 1, wherein each game includes audiovisual software selectively executed at the one of the remote display terminals to visually

represent the outcome on the display of the one of the remote display terminals.

4. The gaming system of claim 1, wherein the game play software includes a random number generator for randomly selecting the outcome.

5. The gaming system of claim 1, wherein each remote display terminal includes upper and lower video displays, the upper video display depicting billboard indicia, the lower display visually representing the outcome.

6. The gaming system of claim 5, wherein the upper display is a flat panel display selected from a group consisting of a liquid crystal display (LCD), plasma display, field emission display, digital micromirror display (DMD), dot matrix display, and vacuum fluorescent display (VFD).

7. A centralized gaming system, comprising:

a central server system storing a plurality of games of chance and including a play engine; and
a display terminal remote from and linked to the central server system;

wherein in response to one of the games being selected for play at the display terminal, game play software for the selected game is loaded into and executed by the play engine to randomly select an outcome, and the outcome is visually represented on a display of the display terminal.

8. The gaming system of claim 7, wherein in response to one of the games being selected for play at the display terminal, audiovisual software for the selected game is downloaded from the central server system to the display terminal and is selectively executed at the display terminal to visually represent the outcome on the display of the display terminal.

9. The gaming system of claim 7, wherein audiovisual software for the selected game is selectively executed at the display terminal to visually represent the outcome on the display of the display terminal.

10. The gaming system of claim 7, wherein in response to one of the games being selected for play at the display terminal, the display terminal informs the central server system of a version of any audiovisual software for the selected game already residing in the display terminal; and wherein if the version is up to date, the audiovisual software is selectively executed at the display terminal to visually represent the outcome on the display of the display terminal; and wherein if the version is not up to date,

updated audiovisual software for the selected game is downloaded from the central server system to the display terminal and is selectively executed at the display terminal to visually represent the outcome on the display of the display terminal.

11. The gaming system of claim 7, wherein in response to one of the games being selected for play at the display terminal, the central server system compares versions of audiovisual software for the selected game residing in the central server system and the display terminal; wherein if the versions match, the audiovisual software is selectively executed at the display terminal to visually represent the outcome on the display of the display terminal, and wherein if the versions do not match, the audiovisual software in the central server system is downloaded to the display terminal and is selectively executed at the display terminal to visually represent the outcome on the display of the display terminal.

12. A centralized gaming system, comprising:

a central server system including a master game server and a game execution server, the master game server storing a plurality of games of chance; and
a display terminal remote from and linked to the central server system;

wherein in response to one of the games being selected for play at the display terminal, game play software for the selected game is loaded from the master game server into the game execution server and is executed by the game execution server to randomly select an outcome, and the outcome is visually represented on a display of the display terminal.

13. The gaming system of claim 12, further including a database server for storing game activity data based on the outcome.

14. A centralized gaming system, comprising:

a central server system including a master game server and a game execution server, the master game server storing a plurality of games of chance, each of the games including respective game play software and respective audiovisual software; and
a display terminal remote from and linked to the central server system,

wherein in response to one of the games being selected for play at the display terminal, the game play software for the selected game is loaded

from the master game server into the game execution server and is executed by the game execution server to randomly select an outcome, and the audiovisual software for the selected game is selectively executed at the display terminal to visually represent the outcome on a display of the display terminal.

15. The gaming system of claim 14, wherein in response to one of the games being selected for play at the display terminal, the master game server compares versions of the audiovisual software for the selected game residing in the master game server and the display terminal; wherein if the versions match, the audiovisual software is selectively executed at the display terminal to visually represent the outcome on the display of the display terminal; and wherein if the versions do not match, the audiovisual software in the master game server is downloaded to the display terminal and is selectively executed at the display terminal to visually represent the outcome on the display of the display terminal.
16. The gaming system of claim 14, further including a database server for storing game activity data based on the outcome.
17. A method of executing a game of chance, comprising:
 - providing a central server system storing a plurality of games of chance and including a play engine;
 - providing a plurality of display terminals remote from and linked to the central server system;
 - receiving a player's selection of one of the games to be played at one of the display terminals;
 - loading game play software for the selected game into the play engine;
 - executing the game play software in the play engine to randomly select an outcome; and
 - visually representing the outcome on a display of the one of the display terminals.
18. The method of claim 17, wherein the step of executing the game play software includes generating a random number for randomly selecting the outcome.
19. The method of claim 17, further including selectively executing audiovisual software for the selected game at the one of the display terminals to visually represent the outcome on the display of the one of the display terminals.
20. The method of claim 19, further including download-

ing the audiovisual software from the central server system to the one of the display terminals prior to the step of selectively executing the audiovisual software.

21. The method of claim 17, further including comparing versions of audiovisual software for the selected game residing in the central server system and the one of the display terminals; if the versions match, selectively executing the audiovisual software at the one of the display terminals to visually represent the outcome on the display of the one of the display terminals; and if the versions do not match, downloading the audiovisual software in the central server system to the one of the display terminals and selectively executing the audiovisual software at the one of the display terminals to visually represent the outcome on the display of the one of the display terminals.
22. A method of executing a game of chance, comprising:
 - providing a central server system including a master game server and a game execution server, the master game server storing a plurality of games of chance;
 - providing a plurality of display terminals remote from and linked to the central server system;
 - receiving a player's selection of one of the games to be played at one of the display terminals;
 - loading game play software for the selected game from the master game server into the game execution server;
 - executing the game play software in the game execution server to randomly select an outcome; and
 - visually representing the outcome on a display of the one of the display terminals.
23. The method of claim 22, further including selectively executing audiovisual software for the selected game at the one of the display terminals to visually represent the outcome on the display of the one of the display terminals.
24. The method of claim 23, further including downloading the audiovisual software from the central server system to the one of the display terminals prior to the step of selectively executing the audiovisual software
25. The method of claim 22, further including comparing versions of audiovisual software for the selected game residing in the central server system and the one of the display terminals; if the versions match, selectively executing the audiovisual software at

the one of the display terminals to visually represent the outcome on the display of the one of the display terminals; and if the versions do not match, downloading the audiovisual software in the central server system to the one of the display terminals and selectively executing the audiovisual software at the one of the display terminals to visually represent the outcome on the display of the one of the display terminals.

26. The method of claim 22, wherein the central server system includes a database server, and further including storing game activity based on the outcome in the database server.

27. A game-on-demand gaming system, comprising:

a central server system storing a plurality of games of chance; and
a plurality of gaming terminals remote from and linked to the central server system;

wherein in response to one of the games being selected for play at one of the gaming terminals, the central server system downloads at least some software for the selected game to the one of the gaming terminals so that the game can be played via the one of the gaming terminals, the selected game being concurrently playable via another of the gaming terminals.

28. The gaming system of claim 27, wherein the downloaded software includes game play software.

29. The gaming system of claim 27, wherein the downloaded software includes audiovisual software but not game play software

30. The gaming system of claim 27, wherein each gaming terminal includes a video display for displaying a plurality of game selection indicia associated with the respective games.

31. The gaming system of claim 30, wherein the plurality of game selection indicia are displayed on the video display in response to the gaming terminal being idle for a predetermined period of time.

32. A method of operating gaming terminals, each gaming terminal being remote from and linked to a central server system storing a plurality of games of chance, the method comprising:

receiving a player's selection of one of the games to be played at one of the gaming terminals; and
downloading at least some software for the selected game from the central server system to

the one of the gaming terminals so that the game can be played via the one of the gaming terminals, the selected game being concurrently playable via another of the gaming terminals.

33. The method of claim 32, further including receiving a wager at the one of the gaming terminals to play the selected game.

34. The method of claim 32, wherein the downloaded software includes game play software.

35. The method of claim 32, wherein the downloaded software includes audiovisual software but not game play software.

36. The method of claim 32, further including executing the selected game to randomly select an outcome, and visually representing the outcome on a display of the one of the gaming terminals.

37. The method of claim 32, further including displaying a plurality of game selection indicia associated with the respective games on a display of each gaming terminal.

38. The method of claim 37, wherein the displaying step occurs in response to the respective gaming terminal being idle for a predetermined period of time.

39. A method of configuring remote gaming terminals that permit games of chance to be played in response to a wager, comprising:

coupling the remote gaming terminals to a central server system;
generating game activity data at the remote gaming terminals;
transmitting the game activity data to the central server system;
evaluating the game activity data; and
using the central server system to modify the remote gaming terminals based on the game activity data.

40. The method of claim 39, wherein the game activity data is selected from a group consisting of frequency of play of the remote gaming terminals and earnings generated by the remote gaming terminals.

41. The method of claim 39, wherein the step of evaluating the game activity data is performed by the central server system.

42. The method of claim 39, wherein the step of evaluating the game activity data is performed by a device or person external to the central server system.

43. The method of claim 39, wherein the step of using the central server system to modify the remote gaming terminals includes modifying the games of chance that can be played via the remote gaming terminals.

44. The method of claim 39, wherein the step of using the central server system to modify the remote gaming terminals includes modifying one or more of the following:

a selection of the games of chance available for play via the remote gaming terminals, menus identifying the games of chance available for play via the remote gaming terminals, the content of the games of chance, and math tables associated with the games of chance.

45. The method of claim 39, wherein the remote gaming terminals are arranged in groups, and wherein the step of using the central server system to modify the remote gaming terminals includes modifying the remote gaming terminals in the same group in a similar manner.

46. The method of claim 39, wherein the step of using the central server system to modify the remote gaming terminals includes making a modification effective for a limited period of time.

47. A gaming system comprising:

a plurality of remote gaming terminals for generating game activity data in response to wagers on games of chance played via the remote gaming terminals;

a central server system for receiving the game activity data and modifying the remote gaming terminals based on the game activity data, the central server system being coupled to the remote gaming terminals; and
means for evaluating the game activity data received by the central server system.

48. The system of claim 47, wherein the game activity data is selected from a group consisting of frequency of play of the remote gaming terminals and earnings generated by the remote gaming terminals.

49. The system of claim 47, wherein the central server system includes the means for evaluating the game activity data.

50. The system of claim 47, wherein the central server system modifies the games of chance that can be played via the remote gaming terminals.

51. The system of claim 47, wherein the central server

system modifies one or more of the following: a selection of the games of chance available for play via the remote gaming terminals, menus identifying the games of chance available for play via the remote gaming terminals, the content of the games of chance, and math tables associated with the games of chance.

52. The system of claim 47, wherein the remote gaming terminals are arranged in groups, and wherein the central server system modifies the remote gaming terminals in the same group in a similar manner.

53. The system of claim 47, wherein the central server system makes a modification to the remote gaming terminals effective for a limited period of time.

54. A method of configuring remote gaming terminals that permit games of chance to be played in response to a wager, comprising:

coupling the remote gaming terminals to a central server system; and
using the central server system to modify the remote gaming terminals.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 231 577 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
02.01.2003 Bulletin 2003/01

(51) Int Cl.7: **G07F 17/32**

(43) Date of publication A2:
14.08.2002 Bulletin 2002/33

(21) Application number: **01402888.0**(22) Date of filing: **09.11.2001**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventor: **Giobbi, John J.**
Northbrook, Illinois 60062 (US)

(74) Representative: **Loisel, Bertrand**
Cabinet Plasseraud,
84, rue d'Amsterdam
75440 Paris Cédex 09 (FR)


(30) Priority: **07.02.2001 US 778351**

(71) Applicant: **WMS Gaming Inc**
Waukegan, Illinois 60085 (US)

(54) **Centralized gaming system with modifiable remote display terminals**

(57) A centralized gaming system comprises a central server system and a plurality of display terminals remote from and linked to the central server system. The central server system includes a master game server, a game execution server, and a database server. The master game server stores a plurality of games of chance. Each game includes respective game play software and respective audiovisual software. In response to one of the games being selected for play at one of the display terminals, the game play software for the selected game is loaded from the master game server into the

game execution server and is executed by the game execution server to randomly select an outcome. The audiovisual software for the selected game is selectively executed at the display terminal to visually represent the outcome on a display of the display terminal. The database server collects game activity data based on the outcome and maintains such data for report generation and player tracking purposes. The master game server may evaluate the collected game activity data and, in turn, modify one or more of the display terminals for maximizing earnings and target marketing.

**FIG. 1****EP 1 231 577 A3**



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 01 40 2888

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	EP 0 843 272 A (LVOV) 20 May 1998 (1998-05-20) * page 8, line 30 - line 40 * * page 8, line 47 - page 9, line 15; figures 1-7 *	1-26	G07F17/32
X	US 6 117 013 A (EIBA) 12 September 2000 (2000-09-12) * abstract * * column 6, line 30 - line 52; figures *	1-26	
X	WO 99 41718 A (JURACZKO) 19 August 1999 (1999-08-19) * page 3, line 18 - page 4, line 30; figures *	1-26	
X	WO 00 25281 A (GTECH RHODE ISLAND CORP.) 4 May 2000 (2000-05-04) * page 3, line 1 - line 24 * * page 7, line 2 - line 11; figures *	1-26	
X	US 5 917 725 A (THATCHER ET AL.) 29 June 1999 (1999-06-29) * column 3, line 18 - line 22 * * column 8, line 21 - line 39 * * column 13, line 15 - line 19 * * column 15, line 51 - column 16, line 53; figures 1,2 *	27-54	TECHNICAL FIELDS SEARCHED (Int.Cl.7) G07F
X A	EP 1 004 970 A (INTERNATIONAL GAME TECHNOLOGY) 31 May 2000 (2000-05-31) * column 2, line 15 - line 37 * * column 4, line 3 - line 10 * * column 6, line 36 - column 7, line 28; figures *	27-38,54 39-53	
-/--			
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 30 October 2002	Examiner Neville, D
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

SPC FORM 1502-12-92 (P04001)



European Patent
Office

Application Number

EP 01 40 2888

CLAIMS INCURRING FEES

The present European patent application comprised at the time of filing more than ten claims.

- ☐ Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid, namely claim(s):
- ☐ No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.

LACK OF UNITY OF INVENTION

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

see sheet B

- ☒ All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.
- ☐ As all searchable claims could be searched without effort justifying an additional fee, the Search Division did not invite payment of any additional fee.
- ☐ Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:
- ☐ None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 01 40 2888

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	US 5 759 102 A (PEASE ET AL.) 2 June 1998 (1998-06-02)	27-38, 54	
A	* column 1, line 12 - line 23 * * column 2, line 12 - line 20 * * column 2, line 65 - column 3, line 7 * * column 3, line 51 - column 4, line 23 * * column 4, line 9 - line 16; figures *	39-53	
X	US 4 652 998 A (KOZA ET AL.) 24 March 1987 (1987-03-24) * column 4, line 42 - line 68 * * column 6, line 19 - line 29; figures *	27-38	
X	EP 0 556 840 A (RICOS CO. LTD.) 25 August 1993 (1993-08-25) * column 1, line 13 - line 22 * * column 1, line 40 - line 44 * * column 3, line 45 - line 56 * * column 12, line 13 - line 35; figures *	27-38	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 30 October 2002	Examiner Neville, D
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EP 01 40 2888 (P)



European Patent
Office

**LACK OF UNITY OF INVENTION
SHEET B**

Application Number

EP 01 40 2888

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

1. Claims: 1-26

Gaming executed on a central station and accessed by means of remote display terminals.

2. Claims: 27-38

Concurrent gaming on remote terminals enabled by download of game software.

3. Claims: 39-54

Reconfiguration of gaming terminals from a central station according to data gathered concerning gaming activity.

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 01 40 2888

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

30-10-2002

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
EP 843272	A	20-05-1998	RU	2095112 C1	10-11-1997
			RU	2102790 C1	20-01-1998
			EP	0843272 A1	20-05-1998
			WO	9705557 A1	13-02-1997
			US	6117011 A	12-09-2000
US 6117013	A	12-09-2000	DE	19502613 A1	01-08-1996
			AT	184721 T	15-10-1999
			AU	4664296 A	14-08-1996
			BR	9606847 A	25-11-1997
			CA	2211297 A1	01-08-1996
			CN	1174620 A	25-02-1998
			CZ	9702296 A3	17-12-1997
			DE	59603068 D1	21-10-1999
			WO	9623289 A1	01-08-1996
			EP	0806024 A1	12-11-1997
			FI	973046 A	19-09-1997
			HU	9800695 A2	28-07-1998
			JP	10512984 T	08-12-1998
			NO	973355 A	05-09-1997
			PL	321544 A1	08-12-1997
			SK	101397 A3	04-02-1998
WO 9941718	A	19-08-1999	CZ	9800434 A3	15-03-2000
			AU	2148299 A	30-08-1999
			WO	9941718 A1	19-08-1999
WO 0025281	A	04-05-2000	US	2002019260 A1	14-02-2002
			AU	1100600 A	15-05-2000
			BR	9914897 A	17-07-2001
			EP	1125263 A1	22-08-2001
			WO	0025281 A1	04-05-2000
US 5917725	A	29-06-1999	CA	1245361 A1	22-11-1988
			DE	3522136 A1	09-01-1986
			GB	2161629 A ,B	15-01-1986
			GB	2194369 A ,B	02-03-1988
			HK	101792 A	24-12-1992
			HK	138793 A	24-12-1993
			JP	2112753 C	21-11-1996
			JP	8029189 B	27-03-1996
			JP	61076182 A	18-04-1986
			US	5083271 A	21-01-1992
EP 1004970	A	31-05-2000	AU	5401399 A	20-04-2000
			EP	1004970 A2	31-05-2000

EP FORM 1455

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 01 40 2888

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

30-10-2002

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 1004970	A	ZA 9906467 A	17-04-2000
US 5759102	A	02-06-1998 AU 705117 B2	13-05-1999
		AU 1267097 A	21-08-1997
		US 6135887 A	24-10-2000
US 4652998	A	24-03-1987 NONE	
EP 556840	A	25-08-1993 JP 5228259 A	07-09-1993
		JP 5237265 A	17-09-1993
		JP 3301634 B2	15-07-2002
		JP 5324509 A	07-12-1993
		JP 3268838 B2	25-03-2002
		JP 6044269 A	18-02-1994
		JP 3268839 B2	25-03-2002
		JP 6044159 A	18-02-1994
		JP 6044160 A	18-02-1994
		AU 672770 B2	17-10-1996
		AU 3312193 A	19-08-1993
		CA 2089774 A1	19-08-1993
		CN 1076537 A , B	22-09-1993
		DE 69329160 D1	14-09-2000
		DE 69329160 T2	11-01-2001
		EP 0556840 A2	25-08-1993
		EP 0962900 A2	08-12-1999
		ES 2148187 T3	16-10-2000
		US 5547202 A	20-08-1996

EP 01 40 2888

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

THIS PAGE BLANK (USPTO)